

---

# Table Documentation

---

See end of document for Documentation Notes.

## Contents

180-Day Review	930.00
Additional Authorization Information	950.00
Assessment Appointment Information	906.00
Authorization Request	960.00
Batch Header	001.01
CALOCUS	846.00
Cascade Delete	131.01
CDMHP Investigation	160.02
Client Crisis Plan	830.00
Clinician Crisis Plan	835.00
Consumer Address	810.00
Consumer Demographics	020.05
Crisis Episode Appointment	900.00
Crisis Respite Episodes	910.00
First Offered/Referral	870.01
First Routine Appointment Offered	907.00
First Routine Face-to-Face Appointment	908.00
Inpatient Services	070.04
ITA Hearing	162.02
Jail Episodes	940.00
LOCUS	845.00
Outpatient Authorizations	850.00
Outpatient Episode Primary Clinician	920.00
Outpatient Episodes	840.00
Outpatient Services	120.03
Program Episode Identification	060.01
Request for Service - Additional Informati	905.00
Residential Episodes	890.00
Service Disposition	065.01
Staff Detail	880.00
State Coupon Record	820.00
State Periodics	035.06

*Updated 840.00 Outpatient Episode fields clincode and faccd.*

Please see <http://nsmha.org/datadict> for more detailed information of the NSMHA-CIS Data Dictionary.

**ID:** 001.01    **Description:** Batch Header

**Status:** Final  
**Status Date:** 3/3/2004

**Definition Table Codes**

**Receive:**

**Send:**

**Usefile:** HEAD  
**.VIS Name:** HEAD

Key	ID	Code	Name	Field ID	Description	Actions Allowed	Char. Length	Validations
	101073	CV01	_rcode^		Transaction ID	NN	6	001 - Value Cannot Be Null
	101003	CV02	batdt		Batch Date		8	001 - Value Cannot Be Null
	101004	CV03	batno		Batch Number			001 - Value Cannot Be Null 016 - Batch Number Already Posted
	101027	CV04	suborg		Submitting Reporting Unit ID		5	001 - Value Cannot Be Null

ID: 020.05 Description: Consumer Demographics

Status: Final  
Status Date: 7/1/2007

Definition Table Codes

Receive: DDEM Send: 02005

Usefile: RDEM  
.VIS Name: RDEM

Key	ID	Code	Name	Description	Field ID	Actions Allowed	Char. Length	Validations
	101073	CV01	_rcode^	Transaction ID		NN	6	001 - Value Cannot Be Null
	030010	CV02	_raction^	Action Code		NA	1	001 - Value Cannot Be Null 002 - Code Invalid - ACODE
	030760	CV03	rsnid^	RSN Report Unit		NN	3	001 - Value Cannot Be Null
	030020	CV04	_rorg^	Agency Reporting Unit ID		NN	5	001 - Value Cannot Be Null 002 - Code Invalid - ORG
	030001	CV05	_rlguid^	Unique Identifier		NN	11	001 - Value Cannot Be Null
K	030620	CV06	pn^	Master Client Number		NN	11	001 - Value Cannot Be Null
	101071	RV01	last	Surname		NA	30	001 - Value Cannot Be Null
	101020	RV02	first	Given Name		NA	40	001 - Value Cannot Be Null
	200199	RV02B	mi	Middle Initial		LA	30	
	101019	RV03	sex	Gender		NA	1,X	001 - Value Cannot Be Null 002 - Code Invalid - SEX 003 - Length Invalid
	101014	RV04	dob	Date of Birth		NA	10	001 - Value Cannot Be Null 004 - DOB Invalid Date
	200144	RV05	race	Race		LN	1	
	030530	RV06	eth1	Ethnicity 1		NA	3	001 - Value Cannot Be Null 002 - Code Invalid - ETH
	030540	RV07	eth2	Ethnicity 2		LA	3	002 - Code Invalid - ETH
	030550	RV08	eth3	Ethnicity 3		LA	3	002 - Code Invalid - ETH
	010121	RV10	horg	Hispanic Origin		NA	3	001 - Value Cannot Be Null 002 - Code Invalid - HORG
	101024	RV11	plan	Preferred Language		NA	2	001 - Value Cannot Be Null 002 - Code Invalid - PLAN
	101033	RV12	ss	Social Security Number		LA	11,X	003 - Length Invalid
	101068	RV13	sexor	Sexual Orientation		NA	1	001 - Value Cannot Be Null 002 - Code Invalid - SEXOR

020.05 Transaction Notes

- 2/9/2005 As of 20050209 -disallow action code 'D'. The appropriate mechanism to delete a Consumer Demographics record is to use the Cascade Delete transaction.
- This is a Global Record.
- 4/11/2007 Changed Actions Allowed on race from 'LA' to 'LN'. Removed validations for race.

Definition Table Codes

Receive: DPER Send:

Usefile: RPER  
.VIS Name: RPER

Key	ID	Code	Name	Description	Field ID	Actions Allowed	Char. Length	Validations
	101073	CV01	_rcode^	Transaction ID		NN	6	001 - Value Cannot Be Null
	030010	CV02	_raction^	Action Code		NA	1	001 - Value Cannot Be Null 002 - Code Invalid - ACODE
	030760	CV03	rsnid^	RSN Report Unit		NN	3	001 - Value Cannot Be Null
K	030020	CV04	_rorg^	Agency Reporting Unit ID		NN	5	001 - Value Cannot Be Null 002 - Code Invalid - ORG
K	030001	CV05	_rlguid^	Unique Identifier		NN	11	001 - Value Cannot Be Null
	030620	CV06	pn^	Master Client Number		NN	11	001 - Value Cannot Be Null
	200141	RV01	modate^	Month of Periodic		NN	10	001 - Value Cannot Be Null 020 - Date may not be in the future.
	101053	RV02	esta	Employment Status		NA	1	001 - Value Cannot Be Null 002 - Code Invalid - ESTA
	101051	RV03	educ	Education		NA	1	001 - Value Cannot Be Null 002 - Code Invalid - EDUC
	200128	RV04	grade	Grade Level		NA	2	001 - Value Cannot Be Null 002 - Code Invalid - GRADE
	200129	RV05	lsit	Living Situation		NA	2	001 - Value Cannot Be Null 002 - Code Invalid - LSIT
	200130	RV06	county^	County of Residence		NA	2	001 - Value Cannot Be Null 002 - Code Invalid - COUNT
	101026	RV07	prior	Priority Code		NA	1	001 - Value Cannot Be Null 002 - Code Invalid - PRIOR
	200206	RV08	axis1a	Diagnosis - Axis I Primary		LA	6	002 - Code Invalid - DIAG
	200207	RV09	axis1b	Diagnosis - Axis I Secondary		LA	6	002 - Code Invalid - DIAG
	200208	RV10	axis2a	Diagnosis - Axis II Primary		LA	6	002 - Code Invalid - DIAG
	200209	RV11	axis2b	Diagnosis - Axis II Secondary		LA	6	002 - Code Invalid - DIAG
	030580	RV12	impk1	Impairment Kind 1		NA	1	001 - Value Cannot Be Null 002 - Code Invalid - IMPK
	030590	RV13	impk2	Impairment Kind 2		LA	1	002 - Code Invalid - IMPK 900 - No Z or Y in impk2 or impk3
	030600	RV14	impk3	Impairment Kind 3		LA	1	002 - Code Invalid - IMPK 900 - No Z or Y in impk2 or impk3
	200123	RV15	income	Annual Gross Income		LA	10	012 - Money Format \$\$\$,\$\$\$.\$\$
	200124	RV16	people	Number of Dependents		LA	2	003 - Length Invalid
	200135	RV17	gaf	GAF		LA	3	003 - Length Invalid 901 - Numeric range 0 to 100
	200145	RV18	cgas	CGAS		LA	3	003 - Length Invalid 901 - Numeric range 0 to 100
	200147	RV19	dc03	DC03		LN	3	

035.06 Transaction Notes

- 11/9/2005 Living Situation: mark the appropriate code for where the consumer has lived for the majority of the previous 30 days.
- This is a Global Record.
- 4/11/2007 GAF/CGAS - Has a transmission validation check such that only 1 of the 2 fields must not be null.
- 4/11/2007 Changed Actions Allowed for dc03 from 'LA' to 'LN'. Removed validations for dc03.
- 8/29/2007 Removed validation check on GAF/CGAS where 1 of the 2 fields must not be null.

**ID:** 060.01 **Description:** Program Episode Identification

**Status:** Final  
**Status Date:** 4/11/2007

**Definition Table Codes**

**Receive:** DPEID **Send:** 06001

**Usefile:** RPEID  
**.VIS Name:** RPEID

Key	ID	Code	Name	Field ID	Description	Actions Allowed	Char. Length	Validations
	101073	CV01	_rcode^		Transaction ID	NN	6	001 - Value Cannot Be Null
	030010	CV02	_raction^		Action Code	NA	1	001 - Value Cannot Be Null 002 - Code Invalid - ACODE
	030760	CV03	rsnid^		RSN Report Unit	NN	3	001 - Value Cannot Be Null
K	030020	CV04	_rorg^		Agency Reporting Unit ID	NN	5	001 - Value Cannot Be Null 002 - Code Invalid - ORG
K	030001	CV05	_rlguid^		Unique Identifier	NN	11	001 - Value Cannot Be Null
	030620	CV06	pn^		Master Client Number	NN	11	001 - Value Cannot Be Null
	030470	RV01	epis		Episode ID	NN	5	001 - Value Cannot Be Null
	030490	RV02	epistype		Episode Type	NN	5	001 - Value Cannot Be Null 002 - Code Invalid - EPIS
	030480	RV03	adate		Episode Start Date	NA	8	001 - Value Cannot Be Null 020 - Date may not be in the future.
	030460	RV04	cdate		Episode End Date	LA	8	020 - Date may not be in the future.
	200309	RV05	icrrs		Referral Source	NA	2	001 - Value Cannot Be Null 002 - Code Invalid - ICRRS

**060.01 Transaction Notes**

- 4/11/2007 New transaction effective 01 July 2007.
- 7/10/2007 20070701 - RSN -> MHD Transaction, 94000 also sends Program Episode Identification records, using Jail records as a source.
- 10/18/2007 Use '2' as the Referral Source for the following Episode Types: CHAP, CHIP, IDDT, IOP, and SEMPL
- 2/6/2008 Previously Actions Allowed for Action Code was listed as 'NN'. This has been corrected to 'NA'.

**ID:** 065.01    **Description:** Service Disposition

**Status:** Final  
**Status Date:** 4/11/2007

**Definition Table Codes**

**Receive:** DSDIS    **Send:** 06501

**Usefile:** RSDIS  
**.VIS Name:** RSDIS

Key	ID	Code	Name	Description	Actions Allowed	Char. Length	Validations
	101073	CV01	_rcode^	Transaction ID	NN	6	001 - Value Cannot Be Null
	030010	CV02	_raction^	Action Code	NA	1	001 - Value Cannot Be Null 002 - Code Invalid - ACODE
	030760	CV03	rsnid^	RSN Report Unit	NN	3	001 - Value Cannot Be Null
K	030020	CV04	_rorg^	Agency Reporting Unit ID	NN	5	001 - Value Cannot Be Null 002 - Code Invalid - ORG
K	030001	CV05	_rlguid^	Unique Identifier	NN	11	001 - Value Cannot Be Null
	030620	CV06	pn^	Master Client Number	NN	11	001 - Value Cannot Be Null
	200710	RV01	dispdt	Disposition Date	NN	8	001 - Value Cannot Be Null 020 - Date may not be in the future.
	200711	RV02	dispo	Disposition	NA	2	001 - Value Cannot Be Null 002 - Code Invalid - DISPO

**065.01 Transaction Notes**

- 4/11/2007 New transaction effective 01 July 2007.
- 2/6/2008 Previously Actions Allowed for Action Code was listed as 'NN'. This has been corrected to 'NA'.

Definition Table Codes

Receive: DETIS Send: 07004

Usefile: RETIS  
.VIS Name: RETIS

Key	ID	Code	Name	Description	Field ID	Actions Allowed	Char. Length	Validations
	101073	CV01	_rcode^	Transaction ID		NN	6	001 - Value Cannot Be Null
	030010	CV02	_raction^	Action Code		NA	1	001 - Value Cannot Be Null 002 - Code Invalid - ACODE
	030760	CV03	rsnid^	RSN Report Unit		NN	3	001 - Value Cannot Be Null
K	030030	CV04	_rorg^	Inpatient Facility Reporting Unit ID		NN	5	001 - Value Cannot Be Null 002 - Code Invalid - HOSPT
K	030001	CV05	_rlguid^	Unique Identifier		NN	11	001 - Value Cannot Be Null
	030620	CV06	pn^	Master Client Number		NN	11	001 - Value Cannot Be Null
	101039	RV01	adate	Admission Date		NN	8	001 - Value Cannot Be Null 020 - Date may not be in the future.
	030390	RV02	ddate	Discharge Date		NA	8	001 - Value Cannot Be Null 020 - Date may not be in the future.
	200247	RV03	lstat	Legal Status		NA	1	001 - Value Cannot Be Null 002 - Code Invalid - LSTAT
	030710	RV04	ax1pd	Principal Diagnosis		NA	5	001 - Value Cannot Be Null 002 - Code Invalid - DIAG
	030050	RV05	ax1sd	Admission Diagnosis		NA	5	001 - Value Cannot Be Null 002 - Code Invalid - DIAG
	030410	RV06	ax2pdx	Discharge Diagnosis 1		NA	5	001 - Value Cannot Be Null 002 - Code Invalid - DIAG
	030430	RV07	ax2sdx	Discharge Diagnosis 2		LA	5	002 - Code Invalid - DIAG
	030470	RV08	epis	Episode ID		NN	5	001 - Value Cannot Be Null
	030490	RV09	epistype	Episode Type		NN	5	001 - Value Cannot Be Null 002 - Code Invalid - EPIS
	200126	RV10	pos	Place of Service		NA	2	001 - Value Cannot Be Null 002 - Code Invalid - POS
	030750	RV11	roicode	ROI Code		NA	1	001 - Value Cannot Be Null 002 - Code Invalid - ROI
	030080	RV12	adtypcd	Admission Type Code		NA	1	001 - Value Cannot Be Null 002 - Code Invalid - ADTYP
	030060	RV13	adsrccd	Admission Source Code		NA	1	001 - Value Cannot Be Null 002 - Code Invalid - ADSRC
	030650	RV14	pstatcd	Patient Status Code		NA	2	001 - Value Cannot Be Null 002 - Code Invalid - PSTAT
	030840	RV15	atime	Admission Time		NA	5	001 - Value Cannot Be Null
	030850	RV16	dtime	Discharge Time		NA	5	001 - Value Cannot Be Null
	101018	RV17	pic	PIC		LA	14	003 - Length Invalid
	030200	RV18	cert	Authorization Number		LA	9	
	030290	RV19	dur	Duration of Stay		NA	5	001 - Value Cannot Be Null
	030610	RV20	initauth	Initial Authorized Days		NA	5	001 - Value Cannot Be Null
	030810	RV21	authext	Total Authorized Extension Days		NA	5	001 - Value Cannot Be Null

**070.04 Transaction Notes**

- Feeds from 837I E&T.
- Only submitted when record complete.
- Changed Actions Allowed and Validations for Admission Diagnosis to align w/Implementation Guide.
- Total Authorized Extension Days - If there were no extension days authorized, populate the field with a '0'.
- On transactions where there are not Initial Authorized Days (such as inpatient stays at an E&T), default the value to '0'.
- 10/5/2004 Note Removed as of 20041005. (Was: 'Use '999999999' as the default Authorization Number for WSH Inpatient Stays.')
- Although the 'Actions Allowed' is set to 'LA' for the 'Authorization Number', it is expected that this field be completed on all community hospital inpatient stays.
- 4/25/2005 When the consumer is not actually admitted to the inpatient facility, do not submit transaction to NSMHA.

ID: 120.03 Description: Outpatient Services

Status: Final

Definition Table Codes

Receive: DSERV Send:

Usefile: RSERVER  
.VIS Name: RSERVER

Status Date: 10/11/2006

Key	ID	Code	Name	Description	Actions Allowed	Char. Length	Validations
	101073	CV01	_rcode^	Transaction ID	NN	6	001 - Value Cannot Be Null
	030010	CV02	_raction^	Action Code	NA	1	001 - Value Cannot Be Null 002 - Code Invalid - ACODE
	030760	CV03	rsnid^	RSN Report Unit	NN	3	001 - Value Cannot Be Null
K	030020	CV04	_rorg^	Agency Reporting Unit ID	NN	5	001 - Value Cannot Be Null 002 - Code Invalid - ORG
K	030001	CV05	_rlguid^	Unique Identifier	NN	11	001 - Value Cannot Be Null 003 - Length Invalid
	030620	CV06	pn^	Master Client Number	NN	11	001 - Value Cannot Be Null 003 - Length Invalid
	101067	RV01	sdate^	Service Date	NA	8	001 - Value Cannot Be Null 020 - Date may not be in the future.
	200126	RV02	pos	Health Care Service Location	NA	2	001 - Value Cannot Be Null 002 - Code Invalid - POS
	200257	RV03	cpt	CPT Code	NA	5	001 - Value Cannot Be Null 002 - Code Invalid - CPT 002 - Code Invalid - CPTMO
	101063	RV04	min	Minutes of Service	NA	4	001 - Value Cannot Be Null 019 - Number of minutes must be between 0 and 1440.
	030520	RV05	eflag	EPSDT Indicator	LA	1	
	101018	RV06	pic	PIC	LA	14	003 - Length Invalid
	030470	RV07	epis^	Episode ID	NA	5	001 - Value Cannot Be Null
	030490	RV08	epistype^	Episode Type	NA	5	001 - Value Cannot Be Null 002 - Code Invalid - EPIS
	030710	RV09	diag	Principal Diagnosis	NA	6	001 - Value Cannot Be Null 002 - Code Invalid - DIAG 024 - DOS Out of Diagnosis Code Date Range
	030310	RV11	diag2	Diagnosis 2	LA	6	002 - Code Invalid - DIAG 024 - DOS Out of Diagnosis Code Date Range
	030320	RV12	diag3	Diagnosis 3	LA	6	002 - Code Invalid - DIAG 024 - DOS Out of Diagnosis Code Date Range
	030330	RV13	diag4	Diagnosis 4	LA	6	002 - Code Invalid - DIAG 024 - DOS Out of Diagnosis Code Date Range
	030340	RV14	diag5	Diagnosis 5	LN	6	
	030350	RV15	diag6	Diagnosis 6	LN	6	
	030360	RV16	diag7	Diagnosis 7	LN	6	
	030370	RV17	diag8	Diagnosis 8	LN	6	
	030750	RV18	roicd	ROI Code	NA	1	001 - Value Cannot Be Null 002 - Code Invalid - ROI
	030640	RV19	psigsrsc	Patient Signature Source Code	NA	1	001 - Value Cannot Be Null 002 - Code Invalid - PSIG
	030210	RV20	cmpdxpt1	Composite Diagnosis Code Pointer 1	NA	2	001 - Value Cannot Be Null
	030220	RV21	cmpdxpt2	Composite Diagnosis Code Pointer 2	LA	2	
	030230	RV22	cmpdxpt3	Composite Diagnosis Code Pointer 3	LA	2	
	030240	RV23	cmpdxpt4	Composite Diagnosis Code Pointer 4	LA	2	
	030720	RV24	refid	Reference Identification	NA	30	001 - Value Cannot Be Null
	030910	RV25	prvtp	Provider Type	NA	2	001 - Value Cannot Be Null 002 - Code Invalid - PRVMO 002 - Code Invalid - PRVTP 026 - CPT Does not correspond to Provider Modality
	200272	RV26	faccd	Facility Code	NA	5	001 - Value Cannot Be Null 002 - Code Invalid - FACCD
	200709	RV27	prior	Prior Authorization or Referral Number	LA	8	
	200705	RV28	mod1	Procedure Modifier 1	LA	2	002 - Code Invalid - CPTMO 027 - Invalid Modifiers per CPT
	200706	RV29	mod2	Procedure Modifier 2	LA	2	002 - Code Invalid - CPTMO 027 - Invalid Modifiers per CPT
	200707	RV30	mod3	Procedure Modifier 3	LA	2	002 - Code Invalid - CPTMO 027 - Invalid Modifiers per CPT
	200708	RV31	mod4	Procedure Modifier 4	LA	2	002 - Code Invalid - CPTMO 027 - Invalid Modifiers per CPT
	200701	RV32	ids	Co-Occurring Disorder IDS Screening Score	LA	1	002 - Code Invalid - CODSC
	200702	RV33	eds	Co-Occurring Disorder EDS Screening Score	LA	1	002 - Code Invalid - CODSC
	200703	RV34	sds	Co-Occurring Disorder SDS Screening Score	LA	1	002 - Code Invalid - CODSC
	200704	RV35	aquadval	Co-Occurring Disorder Assessment Quadrant Value	LA	1	002 - Code Invalid - CODAS

ID: 120.03 Description: Outpatient Services

Status: Final  
Status Date: 10/11/2006

Definition Table Codes

Receive: DSERV Send:

Usefile: RSERV  
.VIS Name: RSERV

Key	ID	Code	Name	Field ID	Description	Actions Allowed	Char. Length	Validations
-----	----	------	------	----------	-------------	-----------------	--------------	-------------

### 120.03 Transaction Notes

- Feeds from 837P.
- Reference Identification is the Line Item Control Number in HIPAA. In the Provider to RSN 837P transaction, this will echo the \_rlguid^.
- Diagnoses 2-8 (diag2 - diag8) and Composite Diagnosis Code Pointer 2-4 will typically always be blank in the 837P transaction from the Providers.
- There is no 'RV10' - diag1. Previous documentation included this field in error.
- 4/18/2005 Added RV26 - Facility Code
- 3/22/2006 Actions Allowed for Service Date changed from 'NN' to 'NA'.
- 12/11/2006 For sdate>=20070101, RV03-CPT will be validated against code table 'CPTMO' and RV25-Provider Type will be validated against 'PRVMO'. For sdate<20070101, RV03-CPT will be validated against code table 'CPT' and RV25-Provider Type will be validated against PRVTP.
- 1/4/2007 Corrected table order for RV27-RV35
- 4/11/2007 Removed Validations for diag5-dia8. Changed actions allowed for diag5-dia8 from 'LA' to 'LN'.

**ID:** 131.01 **Description:** Cascade Delete

**Status:** Final  
**Status Date:** 5/1/2005

**Definition Table Codes**

**Receive:** DCSCD **Send:** 13102

**Usefile:** RCSCD  
**.VIS Name:** RCSCD

Key	ID	Code	Name	Field ID	Description	Actions Allowed	Char. Length	Validations
	101073	CV01	_rcode^		Transaction ID	NN	6	001 - Value Cannot Be Null
	030010	CV02	_raction^		Action Code	NN	1	001 - Value Cannot Be Null
	030760	CV03	rsnid^		RSN Report Unit	NN	3	001 - Value Cannot Be Null
	030020	CV04	_rorg^		Agency Reporting Unit ID	NN	5	001 - Value Cannot Be Null
	030001	CV05	_rlguid^		Unique Identifier	LA	11	
K	030620	CV06	pn^		Master Client Number	NN	11	001 - Value Cannot Be Null 002 - Code Invalid 023 - RSN ID already deleted

**131.01 Transaction Notes**

- NSMHA is to be notified before submitting this transaction.
- This transaction shall not be submitted as a part of a regular batch process. The Cascade Delete transaction, when submitted, is the only transaction in the batch.
- \_rlguid^ is expected to be null.

ID: 160.02 Description: CDMHP Investigation

Status: Final  
Status Date: 7/1/2005

Definition Table Codes

Receive: DINVE Send: 16002

Usefile: RINVE  
.VIS Name: RINVE

Key	ID	Code	Name	Description	Field ID	Actions Allowed	Char. Length	Validations
	101073	CV01	_rcode^	Transaction ID		NN	6	001 - Value Cannot Be Null
	030010	CV02	_raction^	Action Code		NA	1	001 - Value Cannot Be Null 002 - Code Invalid - ACODE
	030760	CV03	rsnid^	RSN Report Unit		NN	3	001 - Value Cannot Be Null
K	030020	CV04	_rorg^	Agency Reporting Unit ID		NN	5	001 - Value Cannot Be Null 002 - Code Invalid - ORG
K	030001	CV05	_rlguid^	Unique Identifier		NN	11	001 - Value Cannot Be Null
	030620	CV06	pn^	Master Client Number		NN	11	001 - Value Cannot Be Null
	101059	RV01	bdate	Investigation Date		NA	8	001 - Value Cannot Be Null 020 - Date may not be in the future.
	101061	RV02	btime	Investigation Start Time		NA	5	001 - Value Cannot Be Null 009 - Hour Format HH:MM
	101058	RV03	county	Investigation County		NA	2	001 - Value Cannot Be Null 002 - Code Invalid - COUNT
	101060	RV04	outc	Investigation Outcome		NA	2	001 - Value Cannot Be Null 002 - Code Invalid - OUTC
	030670	RV05	detain	Placement (Rpt Unit)		LA	3	002 - Code Invalid - TAAGN
	200266	RV06	dself	Dangerous to Self		LA	1	
	200267	RV07	dothers	Dangerous to Others		LA	1	
	200268	RV08	gravely	Gravely Disabled		LA	1	
	200269	RV09	property	Dangerous to Property		LA	1	
	101087	RV11	revok	Revoke Initiated		LA	2	002 - Code Invalid - REVOK
	030470	RV12	epis	Episode ID		NN	5	001 - Value Cannot Be Null
	030490	RV13	epistype	Episode Type		NN	5	001 - Value Cannot Be Null 002 - Code Invalid - EPIS
	030510	RV14	adate	Episode Start Date		NA	8	001 - Value Cannot Be Null 020 - Date may not be in the future.
	030500	RV15	cdate	Episode End Date		NA	8	001 - Value Cannot Be Null
	030740	RV16	rights	Rights Read		NA	1	001 - Value Cannot Be Null
	030860	RV17	out1	Outreach		LA	1	
	030870	RV18	cons	Consultation		LA	1	
	030880	RV19	ddate	Dispatch Date		NA	8	001 - Value Cannot Be Null 020 - Date may not be in the future.
	030890	RV20	dtime	Dispatch Time		NA	5	001 - Value Cannot Be Null
	030900	RV21	tmin	Minutes Dispatch to Begin Time		NA	5	001 - Value Cannot Be Null
	030920	RV22	psych	Consultation - Psychiatrist		LA	1	003 - Length Invalid
	030930	RV23	cdmhp	Consultation - CDMHP		LA	1	003 - Length Invalid
	031060	RV24	pcp	Consultation - Primary Care Provider		LA	1	003 - Length Invalid
	030940	RV25	child	Consultation - Child		LA	1	003 - Length Invalid
	030950	RV26	older	Consultation - Older Adult System		LA	1	003 - Length Invalid
	030960	RV27	ethnic	Consultation - Ethnic Minority		LA	1	003 - Length Invalid
	030970	RV28	family	Consultation - Family and Natural Supports		LA	1	003 - Length Invalid
	030980	RV29	hospital	Consultation - Hospital ER		LA	1	003 - Length Invalid
	030990	RV30	dd_sys	Consultation - DD System		LA	1	003 - Length Invalid
	031000	RV31	cd_sys	Consultation - CD System		LA	1	003 - Length Invalid
	031010	RV32	crime	Consultation - Criminal Justice System		LA	1	003 - Length Invalid
	031020	RV33	pro_out	Consultation - Other Professional - Outside ICRS		LA	1	003 - Length Invalid
	031030	RV34	ocmhp	Consultation - Other CMH Professional		LA	1	003 - Length Invalid
	031040	RV35	pro_in	Consultation - Other Professional - Within ICRS		LA	1	003 - Length Invalid
	031340	RV36	school	Consultation - School		LA	1	003 - Length Invalid
	200271	RV37	rvkot	Revoked - Reason other than above		LA	1	
	200272	RV38	faccd	Facility Code		NA	5	001 - Value Cannot Be Null 002 - Code Invalid - FACCD
	200309	RV39	icrrs	Referral Source		NA	2	001 - Value Cannot Be Null 002 - Code Invalid - ICRRS
	200310	RV40	icrir	Investigation Reason		NA	1	001 - Value Cannot Be Null 002 - Code Invalid - ICRIR

ID: 160.02 Description: CDMHP Investigation

Status: Final  
Status Date: 7/1/2005

Definition Table Codes

Receive: DINVE Send: 16002

Usefile: RINVE  
.VIS Name: RINVE

Key	ID	Code	Name	Description	Field ID	Actions Allowed	Char. Length	Validations
-----	----	------	------	-------------	----------	-----------------	--------------	-------------

160.02 Transaction Notes

- Only transmits from Providers when Episode End Date is Not Null
- Strategize how to add CONSC information (there are 14 checkboxes that signify the type of consult provided). - DONE.
- Rights Read - Only goes to MHD if Rights Read flag is 'Yes'. Do not send to MHD if Rights Read flag is not 'Yes'.
- 4/6/2005 Added RV36 - 'School - Consultation-School'
- 4/18/2005 Added RV37 - 'Revoked - Reason other than above' and RV38 - 'Facility Code'.
- 1/23/2006 Investigation Outcome - Code '1' or '7' (depending on detention facility type) if the person was informed of their rights and involuntarily detained. A person may have been informed of their rights and may have decided to be treated voluntarily. In this case, document this as code 2, 3, or code 10-16.
- 1/23/2006 Any Investigation Outcome other than '1' or '7' indicates the person was not detained.
- 1/23/2006 Changed Char. Len. For Investigation Outcome from '1' to '2'.
- if [outc] = "1" or "7" then  
([dself] & [dothers] & [gravely] & [property]) Like "\*Y\*"  
[rvkot] = "N"  
[revok] = "9"  
AllowNull([detain]) = false  
Else
- If [outc] "3" then  
([dself] & [dothers] & [gravely] & [property] & [rvkot]) = "NNNNN"  
[revok] = "9"  
AllowNull([detain]) = false  
Else
- if [outc] = "4" then  
((([dself] & [dothers] & [gravely] & [property]) Like "\*Y\*") or ([rvkot] = "Y"))  
([revok] = "01" or "02")  
AllowNull([detain]) = false  
Else
- if [outc] = "5" then  
([dself] & [dothers] & [gravely] & [property]) Like "\*Y\*") or ([rvkot] = "Y")  
[revok] = "9"  
AllowNull([detain]) = true  
Else
- If [outc] in("2", "6", "9", "10", "11", "12", "13", "14", "15", "16") then  
([dself] & [dothers] & [gravely] & [property] & [rvkot]) = "NNNNN"  
[revok] = "9"  
AllowNull([detain]) = true  
Else
- If [rights] = 'Y' and [bdate] >=04/17/2006 Then  
AllowNull([icrrs]) = False  
AllowNull([icrir]) = False  
Else  
AllowNull([icrrs]) = True  
AllowNull([icrir]) = True  
End If
- 4/11/2007 icrrs code values limited to those codes identified in the code table as 'RINVE' in the Limit column.

ID: 162.02 Description: ITA Hearing

Status: Final  
Status Date: 3/3/2004

Definition Table Codes

Receive: DHEAR Send: 16202

Usefile: RHEAR  
.VIS Name: RHEAR

Key	ID	Code	Name	Description	Actions Allowed	Char. Length	Validations
	101073	CV01	_rcode^	Transaction ID	NN	6	001 - Value Cannot Be Null
	030010	CV02	_raction^	Action Code	NA	1	001 - Value Cannot Be Null 002 - Code Invalid - ACODE
	030760	CV03	rsnid^	RSN Report Unit	NN	3	001 - Value Cannot Be Null
K	030020	CV04	_rorg^	Agency Reporting Unit ID	NN	5	001 - Value Cannot Be Null 002 - Code Invalid - ORG
K	030001	CV05	_rlguid^	Unique Identifier	NN	11	001 - Value Cannot Be Null
	030620	CV06	pn^	Master Client Number	NN	11	001 - Value Cannot Be Null
	101076	RV01	hdate	Hearing Date	NA	8	001 - Value Cannot Be Null 020 - Date may not be in the future.
	200270	RV02	houtc	Hearing Outcome	NA	2	001 - Value Cannot Be Null 002 - Code Invalid - HEARO
	030670	RV03	detain	Reporting Unit Ordered To	LA	3	002 - Code Invalid - TAAGN
	101077	RV04	county	Hearing County	NA	2	001 - Value Cannot Be Null 002 - Code Invalid - COUNT

162.02 Transaction Notes

- 1/23/2006 Changed character length of Hearing Outcome from '1' to '2'.
- This is a Global Record.
- If [houtc] in("1","2","3","7","9","10") then  
    AllowNull([detain]) = false  
    Else  
    AllowNull([detain]) = true  
    End If

ID: 810.00 Description: Consumer Address

Status: Final  
Status Date: 7/7/2006

Definition Table Codes

Receive: DADR Send: N/A

Usefile: RADDR  
.VIS Name: RADDR

Key	ID	Code	Name	Description	Actions Allowed	Char. Length	Validations
	101073	CV01	_rcode^	Transaction ID	NN	6	001 - Value Cannot Be Null
	030010	CV02	_raction^	Action Code	NA	1	001 - Value Cannot Be Null 002 - Code Invalid - ACODE
	030760	CV03	rsnid^	RSN Report Unit	NN	3	001 - Value Cannot Be Null
K	030020	CV04	_rorg^	Agency Reporting Unit ID	NN	5	001 - Value Cannot Be Null 002 - Code Invalid - ORG
K	030001	CV05	_rlguid^	Unique Identifier	NN	11	001 - Value Cannot Be Null
	030620	CV06	pn^	Master Client Number	NN	11	001 - Value Cannot Be Null
	200183	RV01	addr1	Consumer Address Line 1	LA	40	003 - Length Invalid
	200184	RV02	addr2	Consumer Address Line 2	NA	40	001 - Value Cannot Be Null 003 - Length Invalid
	200185	RV03	city	Consumer City	NA	20	001 - Value Cannot Be Null 003 - Length Invalid
	200192	RV04	state	Consumer State	NA	2	001 - Value Cannot Be Null 002 - Code Invalid - STATE
	200193	RV05	zip	Consumer ZIP Code	NA	10	001 - Value Cannot Be Null
	200186	RV06	phone1	Consumer Phone Num 1	LA	20	
	200189	RV07	ptype1	Consumer Phone Type 1	LA	2	002 - Code Invalid - PTYPE
	030250	RV08	psta1	Consumer Phone Status 1	LA	2	002 - Code Invalid - PHSTA
	200187	RV09	phone2	Consumer Phone Num 2	LA	20	
	200190	RV10	ptype2	Consumer Phone Type 2	LA	2	002 - Code Invalid - PTYPE
	030260	RV11	psta2	Consumer Phone Status 2	LA	2	002 - Code Invalid - PHSTA
	030440	RV12	edate	Effective Date	NA	8	001 - Value Cannot Be Null 020 - Date may not be in the future.
	200601	RV13	nomail	No Mail Flag	LA	1	

810.00 Transaction Notes

- When the following fields are blank in the Provider database, they will be populated with the following default values:  
Consumer Address Line 2 = Unknown  
Consumer City = City of County Seat  
Consumer State = WA  
Consumer ZIP = ZIP of County Seat
- 6/7/2006 Added RV13 - No Mail Flag.

810.00 Transaction Questions/Answers

- Q. Marsha - Is the Consumer Address a Global Record?
- A. No, this is not a Global Record

ID: 820.00 Description: State Coupon Record

Status: Final  
Status Date: 3/3/2004

Definition Table Codes

Receive: DSTCO Send: N/A

Usefile: RSTCO  
.VIS Name: RSTCO

Key	ID	Code	Name	Field ID	Description	Actions Allowed	Char. Length	Validations
	101073	CV01	_rcode^		Transaction ID	NN	6	001 - Value Cannot Be Null
	030010	CV02	_raction^		Action Code	NA	1	001 - Value Cannot Be Null 002 - Code Invalid - ACODE
	030760	CV03	rsnid^		RSN Report Unit	NN	3	001 - Value Cannot Be Null
K	030020	CV04	_rorg^		Agency Reporting Unit ID	NN	5	001 - Value Cannot Be Null 002 - Code Invalid - ORG
K	030001	CV05	_rlguid^		Unique Identifier	NN	11	001 - Value Cannot Be Null 003 - Length Invalid
	030620	CV06	pn^		Master Client Number	NN	11	001 - Value Cannot Be Null 003 - Length Invalid
	030440	RV01	edate		Effective Date	NN	8	001 - Value Cannot Be Null 020 - Date may not be in the future.
	030450	RV02	tdate		End Date	NA	8	001 - Value Cannot Be Null
	101018	RV03	pic		PIC	NA	14,X	001 - Value Cannot Be Null 003 - Length Invalid
	030790	RV04	stc		State Program Code	NA	5	001 - Value Cannot Be Null 002 - Code Invalid - STC
	030630	RV05	medicaid		Medicaid Funded Y/N	NA	1,X	001 - Value Cannot Be Null 003 - Length Invalid 007 - Y or N only

820.00 Transaction Notes

- This is a Global Record.

**ID:** 830.00    **Description:** Client Crisis Plan

**Status:** Final  
**Status Date:** 3/3/2004

**Definition Table Codes**

**Receive:** DCPCT    **Send:** N/A

**Usefile:** RCPCT  
**.VIS Name:** RCPCT

Key	ID	Code	Name	Field ID	Description	Actions Allowed	Char. Length	Validations
	101073	CV01	_rcode^		Transaction ID	NN	6	001 - Value Cannot Be Null
	030010	CV02	_raction^		Action Code	NA	1	001 - Value Cannot Be Null 002 - Code Invalid - ACODE
	030760	CV03	rsnid^		RSN Report Unit	NN	3	001 - Value Cannot Be Null
K	030020	CV04	_rorg^		Agency Reporting Unit ID	NN	5	001 - Value Cannot Be Null 002 - Code Invalid - ORG
K	030001	CV05	_rlguid^		Unique Identifier	NN	11	001 - Value Cannot Be Null 003 - Length Invalid
	030620	CV06	pn^		Master Client Number	NN	11	001 - Value Cannot Be Null 003 - Length Invalid
	030270	RV01	ctdate		Date Crisis Plan Entered	NA	8	001 - Value Cannot Be Null 020 - Date may not be in the future.

**ID:** 835.00    **Description:** Clinician Crisis Plan

**Status:** Final  
**Status Date:** 3/3/2004

**Definition Table Codes**

**Receive:** DCPCA    **Send:** N/A

**Usefile:** RCPCA  
**.VIS Name:** RCPCA

Key	ID	Code	Name	Field ID	Description	Actions Allowed	Char. Length	Validations
	101073	CV01	_rcode^		Transaction ID	NN	6	001 - Value Cannot Be Null
	030010	CV02	_raction^		Action Code	NA	1	001 - Value Cannot Be Null 002 - Code Invalid - ACODE
	030760	CV03	rsnid^		RSN Report Unit	NN	3	001 - Value Cannot Be Null
K	030020	CV04	_rorg^		Agency Reporting Unit ID	NN	5	001 - Value Cannot Be Null 002 - Code Invalid - ORG
K	030001	CV05	_rlguid^		Unique Identifier	NN	11	001 - Value Cannot Be Null 003 - Length Invalid
	030620	CV06	pn^		Master Client Number	NN	11	001 - Value Cannot Be Null 003 - Length Invalid
	030270	RV01	cadate		Date Crisis Plan Entered	NA	8	001 - Value Cannot Be Null 020 - Date may not be in the future.

**ID:** 840.00 **Description:** Outpatient Episodes

**Status:** Final  
**Status Date:** 7/1/2005

**Definition Table Codes**

**Receive:** DEPIS **Send:** N/A

**Usefile:** REPIS  
**.VIS Name:** REPIS

Key	ID	Code	Name	Description	Field ID	Actions Allowed	Char. Length	Validations
	101073	CV01	_rcode^	Transaction ID		NN	6	001 - Value Cannot Be Null
	030010	CV02	_raction^	Action Code		NA	1	001 - Value Cannot Be Null 002 - Code Invalid - ACODE
	030760	CV03	rsnid^	RSN Report Unit		NN	3	001 - Value Cannot Be Null
K	030020	CV04	_rorg^	Agency Reporting Unit ID		NN	5	001 - Value Cannot Be Null 002 - Code Invalid - ORG
K	030001	CV05	_rlguid^	Unique Identifier		NN	11	001 - Value Cannot Be Null 003 - Length Invalid
	030620	CV06	pn^	Master Client Number		NN	11	001 - Value Cannot Be Null 003 - Length Invalid
	030470	RV01	epis	Episode ID		NN	5	001 - Value Cannot Be Null
	030490	RV02	epistype	Episode Type		NN	5	001 - Value Cannot Be Null 002 - Code Invalid - EPIS
	030480	RV03	adate	Episode Start (Admit) Date		NA	8	001 - Value Cannot Be Null 020 - Date may not be in the future.
	030460	RV04	cdate	Episode End (Close) Date		LA	8	020 - Date may not be in the future.
	030700	RV05	primary	Primary Indicator		LA	1	003 - Length Invalid
	030690	RV06	clinpcode	Primary Clinician		LA	5	001 - Value Cannot Be Null
	200272	RV07	faccd	Facility Code		LA	5	001 - Value Cannot Be Null 002 - Code Invalid - FACCD

**840.00 Transaction Notes**

- 6/11/2004 Changed 'Actions Allowed' for 'Episode Start Date' from 'NN' to 'NA'.
- 9/20/2004 clinpcode may be missing for Outpatient Episodes prior to 22 September 2004. The Outpatient Episode Primary Clinician is the appropriate location to find the Primary Clinician.
- 4/18/2005 Added RV07 - Facility Code
- 4/10/2009 Received request to change 'clinpcode' and 'faccd' from 'NA' to 'LA'. Change made.

**840.00 Transaction Questions/Answers**

- Q.** Is this for more than just Outpatient Episodes. Are other Episode Types able to be reported through this record?
- A.** No, just Outpatient Episodes. Other Episode Types are reported through other episode transactions.
- Q.** Primary Clinician - need historical? If so, need effective date. Check QM & UM Plans to see if there is a measurement on how many times a consumer changes Case Managers.
- A.** Yes, need historical. Effective date has been added.
- Q.** In adding the Effective Date, does this cause any issues in the IS related to the duplicate EPIS ID's?
- A.** Yes, can cause problems. Have removed Primary Clinician and Effective Date (effective 03/18/2004) and added a new transaction to capture the Outpatient Episode Primary Clinician.

**ID:** 845.00 **Description:** LOCUS

**Status:** Final  
**Status Date:** 9/21/2007

**Definition Table Codes**

**Receive:** DLOCU **Send:** N/A

**Usefile:** RLOCU  
**.VIS Name:** RLOCU

Key	ID	Code	Name	Description	Actions Allowed	Char. Length	Validations
	101073	CV01	_rcode^	Transaction ID	NN	6	001 - Value Cannot Be Null
	030010	CV02	_raction^	Action Code	NA	1	001 - Value Cannot Be Null 002 - Code Invalid - ACODE
	030760	CV03	rsnid^	RSN Report Unit	NN	3	001 - Value Cannot Be Null
K	030020	CV04	_rorg^	Agency Reporting Unit ID	NN	5	001 - Value Cannot Be Null 002 - Code Invalid - ORG
K	030001	CV05	_rlguid^	Unique Identifier	NN	11	001 - Value Cannot Be Null
	030620	CV06	pn^	Master Client Number	NN	11	001 - Value Cannot Be Null
	200771	RV01	revid	Reviewer ID	NA	11	001 - Value Cannot Be Null
	200772	RV02	ldate	(CA)LOCUS Date	NN	8	001 - Value Cannot Be Null 020 - Date may not be in the future.
	200773	RV03	dim1	Risk of Harm Score	LA	1	902 - Numeric range 1 to 5
	200774	RV04	dim2	Functional Status Score	LA	1	902 - Numeric range 1 to 5
	200775	RV05	dim3	Co-Morbidity Score	LA	1	902 - Numeric range 1 to 5
	200776	RV06	dim4a	Recovery Environment - Level of Stress Score	LA	1	902 - Numeric range 1 to 5
	200777	RV07	dim4b	Recovery Environment - Level of Support Score	LA	1	902 - Numeric range 1 to 5
	200778	RV08	dim5	Treatment and Recovery History Score	LA	1	902 - Numeric range 1 to 5
	200779	RV09	dim6	Engagement Score	LA	1	902 - Numeric range 1 to 5
	200919	RV10	cscore	Composite Score	NA	2	001 - Value Cannot Be Null 903 - Numeric range 1 to 35
	200918	RV11	plevel	Placement Grid Level	NA	1	001 - Value Cannot Be Null 904 - Numeric range 1 to 6
	200920	RV12	lrec	Clinician Level of Care Recommendation	NA	1	001 - Value Cannot Be Null 904 - Numeric range 1 to 6
	200921	RV13	cjust1	Clinical Justification for Difference	LA	1024	

**845.00 Transaction Notes**

- 8/31/2007 Previously, RV07 was listed with a Field Name of 'dimvb'. To more accurately reflect what the field is, the field name has been changed to 'dim4b'.
- 2/6/2008 Previously Actions Allowed for Action Code was listed as 'NN'. This has been corrected to 'NA'.

ID: 846.00 Description: CALOCUS

Status: Final  
Status Date: 9/21/2007

Definition Table Codes

Receive: DCLOC Send: N/A

Usefile: RCLOC  
.VIS Name: RCLOC

Key	ID	Code	Name	Description	Field ID	Actions Allowed	Char. Length	Validations
	101073	CV01	_rcode^	Transaction ID		NN	6	001 - Value Cannot Be Null
	030010	CV02	_raction^	Action Code		NA	1	001 - Value Cannot Be Null 002 - Code Invalid - ACODE
	030760	CV03	rsnid^	RSN Report Unit		NN	3	001 - Value Cannot Be Null
K	030020	CV04	_rorg^	Agency Reporting Unit ID		NN	5	001 - Value Cannot Be Null 002 - Code Invalid - ORG
K	030001	CV05	_rlguid^	Unique Identifier		NN	11	001 - Value Cannot Be Null
	030620	CV06	pn^	Master Client Number		NN	11	001 - Value Cannot Be Null
	200771	RV01	revid	Reviewer ID		NA	11	001 - Value Cannot Be Null
	200772	RV02	ldate	(CA)LOCUS Date		NN	8	001 - Value Cannot Be Null 020 - Date may not be in the future.
	200773	RV03	dim1	Risk of Harm Score		LA	1	902 - Numeric range 1 to 5
	200774	RV04	dim2	Functional Status Score		LA	1	902 - Numeric range 1 to 5
	200775	RV05	dim3	Co-Morbidity Score		LA	1	902 - Numeric range 1 to 5
	200776	RV06	dim4a	Recovery Environment - Level of Stress Score		LA	1	902 - Numeric range 1 to 5
	200777	RV07	dim4b	Recovery Environment - Level of Support Score		LA	1	902 - Numeric range 1 to 5
	200781	RV08	dim5	Resiliency and Treatment History Score		LA	1	902 - Numeric range 1 to 5
	200782	RV09	dim6a	Acceptance and Engagement - Child/Adolescent Score		LA	1	902 - Numeric range 1 to 5
	200783	RV10	dim6b	Accept./Engagmnt - Prnt/Prim. Care Taker Score		LA	1	902 - Numeric range 1 to 5
	200919	RV11	cscore	Composite Score		NA	2	001 - Value Cannot Be Null 905 - Numeric range 1 to 40
	200918	RV12	plevel	Placement Grid Level		NA	1	001 - Value Cannot Be Null 904 - Numeric range 1 to 6
	200920	RV13	lrec	Clinician Level of Care Recommendation		NA	1	001 - Value Cannot Be Null 904 - Numeric range 1 to 6
	200921	RV14	cjust1	Clinical Justification for Difference		LA	1024	

846.00 Transaction Notes

- 2/6/2008 Previously Actions Allowed for Action Code was listed as 'NN'. This has been corrected to 'NA'.

**ID:** 850.00 **Description:** Outpatient Authorizations

**Status:** Final  
**Status Date:** 3/3/2004

**Definition Table Codes**

**Receive:** DAUTH **Send:** N/A

**Usefile:** RAUTH  
**.VIS Name:** RAUTH

Key	ID	Code	Name	Description	Field ID	Actions Allowed	Char. Length	Validations
	101073	CV01	_rcode^	Transaction ID		NN	6	001 - Value Cannot Be Null
	030010	CV02	_raction^	Action Code		NA	1	001 - Value Cannot Be Null 002 - Code Invalid - ACODE
	030760	CV03	rsnid^	RSN Report Unit		NN	3	001 - Value Cannot Be Null
K	030020	CV04	_rorg^	Agency Reporting Unit ID		NN	5	001 - Value Cannot Be Null 002 - Code Invalid - ORG
K	030001	CV05	_rlguid^	Unique Identifier		NN	11	001 - Value Cannot Be Null 003 - Length Invalid
	030620	CV06	pn^	Master Client Number		NN	11	001 - Value Cannot Be Null 003 - Length Invalid
	030160	RV01	num	Authorization ID		NN	5	001 - Value Cannot Be Null
	030180	RV02	authtype	Authorization Type		NN	10	001 - Value Cannot Be Null 002 - Code Invalid - AUTHHT
	200150	RV03	loc	Service Level		NA	2	001 - Value Cannot Be Null 002 - Code Invalid - LCARE
	030170	RV04	opedate^	Authorization Start Date		NA	8	001 - Value Cannot Be Null 020 - Date may not be in the future.
	030150	RV05	optdate^	Authorization End Date		NA	8	001 - Value Cannot Be Null
	031050	RV06	tdate	Early Termination Date		LA	8	020 - Date may not be in the future.

**850.00 Transaction Notes**

- 3/29/2004 Changed Authorization End Date from LA to NA for the Actions Allowed.
- opedate^ may be up to 30-days in the future.
- 12/11/2006 Starting 20060901, NSMHA began doing service authorizations electronically. This RAUTH transaction was for the Outpatient Authorizations done by Providers prior to NSMHA doing them. Current authorization information can be found in RAUTR and RADAU tables.

**850.00 Transaction Questions/Answers**

- Q.** I understand the Authorization End Date is a calculated field on the Provider side. When someone at the Provider enters a date in the tdate field, will the Authorization End Date at the RSN be changed?
- A.** No, the Authorization End Date would not change. Have added the Early Termination Date to capture this data.

**ID:** 870.01 **Description:** First Offered/Referral

**Status:** Final  
**Status Date:** 11/3/2008

**Definition Table Codes**

**Receive:** DFORE **Send:** N/A

**Usefile:** RFORE  
**.VIS Name:** RFORE

Key	ID	Code	Name	Field ID	Description	Actions Allowed	Char. Length	Validations
	101073	CV01	_rcode^		Transaction ID	NN	6	001 - Value Cannot Be Null
	030010	CV02	_raction^		Action Code	NA	1	001 - Value Cannot Be Null 002 - Code Invalid - ACODE
	030760	CV03	rsnid^		RSN Report Unit	NN	3	001 - Value Cannot Be Null
K	030020	CV04	_rorg^		Agency Reporting Unit ID	NN	5	001 - Value Cannot Be Null 002 - Code Invalid - ORG
K	030001	CV05	_rlguid^		Unique Identifier	NN	11	001 - Value Cannot Be Null
	030620	CV06	pn^		Master Client Number	NN	11	001 - Value Cannot Be Null
	200934	RV01	foiadt		First Offered Intake Appointment Date	LA	8	
	200935	RV02	foiatm		First Offered Intake Appointment Time	LA	5	
	200940	RV03	footd		First Offered Appointment Reason	NA	2	001 - Value Cannot Be Null 002 - Code Invalid - FOOTD
	200937	RV04	faiadt		First Accepted Intake Appointment Date	LA	8	
	200938	RV05	faiatm		First Accepted Intake Appointment Time	LA	5	
	200939	RV06	rsaguid		RLGUID of Request for Svc - Addl. Info.	NA	11	001 - Value Cannot Be Null

**ID:** 880.00 **Description:** Staff Detail

**Status:** Final  
**Status Date:** 7/7/2006

**Definition Table Codes**

**Receive:** DSTAF **Send:** N/A

**Usefile:** RSTAF  
**.VIS Name:** RSTAF

Key	ID	Code	Name	Description	Field ID	Actions Allowed	Char. Length	Validations
	101073	CV01	_rcode^	Transaction ID		NN	6	001 - Value Cannot Be Null
	030010	CV02	_raction^	Action Code		NA	1	001 - Value Cannot Be Null 002 - Code Invalid - ACODE
	030760	CV03	rsnid^	RSN Report Unit		NN	3	001 - Value Cannot Be Null
K	030020	CV04	_rorg^	Agency Reporting Unit ID		NN	5	001 - Value Cannot Be Null 002 - Code Invalid - ORG
K	030001	CV05	_rlguid^	Unique Identifier		NN	11	001 - Value Cannot Be Null
	030620	CV06	pn^	Master Client Number		LA	0	
	030770	RV01	staffid	Staff ID		NN	5	001 - Value Cannot Be Null
	030570	RV02	shdate	Hire Date		NN	8	001 - Value Cannot Be Null 020 - Date may not be in the future.
	030800	RV03	stdate	Termination Date		LA	8	020 - Date may not be in the future.
	030780	RV04	pwacs1	Staff Specialty 1		LA	2	002 - Code Invalid - STSPC
	031260	RV05	pwacs2	Staff Specialty 2		LA	2	002 - Code Invalid - STSPC
	031270	RV06	pwacs3	Staff Specialty 3		LA	2	002 - Code Invalid - STSPC
	031280	RV07	pwacs4	Staff Specialty 4		LA	2	002 - Code Invalid - STSPC
	031290	RV08	pwacs5	Staff Specialty 5		LA	2	002 - Code Invalid - STSPC
	031300	RV09	pwacs6	Staff Specialty 6		LA	2	002 - Code Invalid - STSPC
	031310	RV10	pwacs7	Staff Specialty 7		LA	2	002 - Code Invalid - STSPC
	031320	RV11	pwacs8	Staff Specialty 8		LA	2	002 - Code Invalid - STSPC
	031330	RV12	pwacs9	Staff Specialty 9		LA	2	002 - Code Invalid - STSPC
	200657	RV13	staffnpi	Staff National Provider Identification		LA	80	

**880.00 Transaction Notes**

- Could have up to nine specialties. Christine is going to research more. May need to add nine more fields.
- 6/23/2004 Adjusted Actions Allowed for Staff Specialties from 'NA' to 'LA'.
- shdate may be up to 30-days in the future.
- Master Client Number is expected to be a null field.
- 7/6/2006 Added RV13 - Staff National Provider Identification.

**880.00 Transaction Questions/Answers**

- Q.** Update PWACS to values in t\_cd\_Specialty\_STSPC from Documentation database.
- A.** Code table sent to Christine.
- Q.** If a staff has multiple Staff Specialties, how is that information going to be captured?
- A.** This will be captured as a part of the original record received from the Providers. Have added additional fields to capture up to eight more Staff Specialties.

**ID:** 890.00 **Description:** Residential Episodes

**Status:** Final  
**Status Date:** 7/1/2005

**Definition Table Codes**

**Receive:** DEPIR **Send:** N/A

**Usefile:** REPIR  
**.VIS Name:** REPIR

Key	ID	Code	Name	Field ID	Description	Actions Allowed	Char. Length	Validations
	101073	CV01	_rcode^		Transaction ID	NN	6	001 - Value Cannot Be Null
	030010	CV02	_raction^		Action Code	NA	1	001 - Value Cannot Be Null 002 - Code Invalid - ACODE
	030760	CV03	rsnid^		RSN Report Unit	NN	3	001 - Value Cannot Be Null
K	030020	CV04	_rorg^		Agency Reporting Unit ID	NN	5	001 - Value Cannot Be Null 002 - Code Invalid - ORG
K	030001	CV05	_rlguid^		Unique Identifier	NN	11	001 - Value Cannot Be Null
	030620	CV06	pn^		Master Client Number	NN	11	001 - Value Cannot Be Null
	030470	RV01	epis		Episode ID	NN	5	001 - Value Cannot Be Null
	030490	RV02	epistype		Episode Type	NN	5	001 - Value Cannot Be Null 002 - Code Invalid - EPIS
	030480	RV03	adate		Episode Start Date	NA	8	001 - Value Cannot Be Null 020 - Date may not be in the future.
	030460	RV04	cdate		Episode End Date	LA	8	020 - Date may not be in the future.
	200272	RV05	faccd		Facility Code	NA	5	001 - Value Cannot Be Null 002 - Code Invalid - FACCD

**890.00 Transaction Notes**

- Will need a facility code table and to adjust the validation to check for valid codes.
- Update of previous note: Changed the Facility to Residential Reporting Unit ID. This set of codes is less likely to have as much variance as the Facility codes could have.
- 6/9/2005 Removed Residential Reporting Unit ID. This was causing more problems than what getting the information was worth. The RUID for the residential facility is captured in the service record.
- 6/11/2004 Changed 'Actions Allowed' for 'Episode Start Date' from 'NN' to 'NA'.
- 4/18/2005 Added RV05 - Facility Code

**ID:** 900.00 **Description:** Crisis Episode Appointment

**Status:** Final  
**Status Date:** 7/1/2005

**Definition Table Codes**

**Receive:** DEPIA **Send:** N/A

**Usefile:** REPIA  
**.VIS Name:** REPIA

Key	ID	Code	Name	Field ID	Description	Actions Allowed	Char. Length	Validations
	101073	CV01	_rcode^		Transaction ID	NN	6	001 - Value Cannot Be Null
	030010	CV02	_raction^		Action Code	NA	1	001 - Value Cannot Be Null 002 - Code Invalid - ACODE
	030760	CV03	rsnid^		RSN Report Unit	NN	3	001 - Value Cannot Be Null
K	030020	CV04	_rorg^		Agency Reporting Unit ID	NN	5	001 - Value Cannot Be Null 002 - Code Invalid - ORG
K	030001	CV05	_rlguid^		Unique Identifier	NN	11	001 - Value Cannot Be Null
	030620	CV06	pn^		Master Client Number	NN	11	001 - Value Cannot Be Null
	030470	RV01	epis		Episode ID	NN	5	001 - Value Cannot Be Null
	030490	RV02	epistype		Episode Type	NN	5	001 - Value Cannot Be Null 002 - Code Invalid - EPIS
	030480	RV03	adate		Episode Start Date	NA	8	001 - Value Cannot Be Null 021 - Date may be max 30 days in the future
	030460	RV04	cdate		Episode End Date	LA	8	020 - Date may not be in the future.
	200272	RV05	faccd		Facility Code	NA	5	001 - Value Cannot Be Null 002 - Code Invalid - FACCD

**900.00 Transaction Notes**

- 6/11/2004 Changed 'Actions Allowed' for 'Episode Start Date' from 'NN' to 'NA'.
- 4/18/2005 Added RV05 - Facility Code
- 10/14/2008 Changed validation on Episode Start Date from 'Date may not be in the future' to 'Date may be max 30 days in the future.'

ID: 905.00 Description: Request for Service - Additional Information

Status: Final  
Status Date: 11/3/2008

Definition Table Codes

Receive: Send: N/A

Usefile: RRS  
.VIS Name: RRS

Key	ID	Code	Name	Field ID	Description	Actions Allowed	Char. Length	Validations
	101073	CV01	_rcode^		Transaction ID	NN	6	001 - Value Cannot Be Null
	030010	CV02	_raction^		Action Code	NA	1	001 - Value Cannot Be Null 002 - Code Invalid - ACODE
	030760	CV03	rsnid^		RSN Report Unit	NN	3	001 - Value Cannot Be Null
K	030020	CV04	_rorg^		Agency Reporting Unit ID	NN	5	001 - Value Cannot Be Null 002 - Code Invalid - ORG
K	030001	CV05	_rlguid^		Unique Identifier	NN	11	001 - Value Cannot Be Null
	030620	CV06	pn^		Master Client Number	NN	11	001 - Value Cannot Be Null
	200922	RV01	deter		Determination	LA	1	
	200923	RV02	txorg		Agency Transferred to	LA	5	002 - Code Invalid - ORG
	200924	RV03	rfguid		RLGUID of Request For Service	NA	11	001 - Value Cannot Be Null
	200925	RV04	ntxreas		Not Transferred to Agency Reason Codes	LA	2	002 - Code Invalid - NTAGY
	030680	RV05	referral		Referral From/Referral Source	NA	5	001 - Value Cannot Be Null 002 - Code Invalid - REFER

**ID:** 906.00 **Description:** Assessment Appointment Information

**Status:** Final  
**Status Date:** 11/3/2008

**Definition Table Codes**

**Receive:**                      **Send:** N/A

**Usefile:** RAAI  
**.VIS Name:** RAAI

Key	ID	Code	Name	Field ID	Description	Actions Allowed	Char. Length	Validations
	101073	CV01	_rcode^		Transaction ID	NN	6	001 - Value Cannot Be Null
	030010	CV02	_raction^		Action Code	NA	1	001 - Value Cannot Be Null 002 - Code Invalid - ACODE
	030760	CV03	rsnid^		RSN Report Unit	NN	3	001 - Value Cannot Be Null
K	030020	CV04	_rorg^		Agency Reporting Unit ID	NN	5	001 - Value Cannot Be Null 002 - Code Invalid - ORG
K	030001	CV05	_rlguid^		Unique Identifier	NN	11	001 - Value Cannot Be Null
	030620	CV06	pn^		Master Client Number	NN	11	001 - Value Cannot Be Null
	200926	RV01	forguid		RLGUID of First Offered/Referral	NA	11	001 - Value Cannot Be Null
	200929	RV02	nointcd		Intake Not Occurred Reason Code	LA	2	002 - Code Invalid - INOR

ID: 907.00 Description: First Routine Appointment Offered

Status: Final  
Status Date: 11/3/2008

Definition Table Codes

Receive: Send: N/A

Usefile: RFRAO  
.VIS Name: RFRAO

Key	ID	Code	Name	Field ID	Description	Actions Allowed	Char. Length	Validations
	101073	CV01	_rcode^		Transaction ID	NN	6	001 - Value Cannot Be Null
	030010	CV02	_raction^		Action Code	NA	1	001 - Value Cannot Be Null 002 - Code Invalid - ACODE
	030760	CV03	rsnid^		RSN Report Unit	NN	3	001 - Value Cannot Be Null
K	030020	CV04	_rorg^		Agency Reporting Unit ID	NN	5	001 - Value Cannot Be Null 002 - Code Invalid - ORG
K	030001	CV05	_rlguid^		Unique Identifier	NN	11	001 - Value Cannot Be Null
	030620	CV06	pn^		Master Client Number	NN	11	001 - Value Cannot Be Null
	200930	RV01	rfsguid		RLGUID of Request For Service	NA	11	001 - Value Cannot Be Null
	200933	RV02	frascd		FRAS Outside 28-Days Reason Codes	NA	2	001 - Value Cannot Be Null 002 - Code Invalid - FRASO
	200941	RV03	frodt		FRA Offered Date	LA	8	
	200942	RV04	frotm		FRA Offered Time	LA	5	
	200943	RV05	fradt		FRA Accepted Date	LA	8	
	200944	RV06	fratm		FRA Accepted Time	LA	5	

**ID:** 908.00 **Description:** First Routine Face-to-Face Appointment

**Status:** Final  
**Status Date:** 11/3/2008

**Definition Table Codes**

**Receive:**                      **Send:** N/A

**Usefile:** RFRFA  
**.VIS Name:** RFRFA

Key	ID	Code	Name	Field ID	Description	Actions Allowed	Char. Length	Validations
	101073	CV01	_rcode^		Transaction ID	NN	6	001 - Value Cannot Be Null
	030010	CV02	_raction^		Action Code	NA	1	001 - Value Cannot Be Null 002 - Code Invalid - ACODE
	030760	CV03	rsnid^		RSN Report Unit	NN	3	001 - Value Cannot Be Null
K	030020	CV04	_rorg^		Agency Reporting Unit ID	NN	5	001 - Value Cannot Be Null 002 - Code Invalid - ORG
K	030001	CV05	_rlguid^		Unique Identifier	NN	11	001 - Value Cannot Be Null
	030620	CV06	pn^		Master Client Number	NN	11	001 - Value Cannot Be Null
	200946	RV01	nofra		FRA not occurred reason codes	LA	2	002 - Code Invalid - FNOR

**ID:** 910.00 **Description:** Crisis Respite Episodes

**Status:** Final  
**Status Date:** 7/1/2005

**Definition Table Codes**

**Receive:** DEPIC **Send:** N/A

**Usefile:** REPIC  
**.VIS Name:** REPIC

Key	ID	Code	Name	Description	Actions Allowed	Char. Length	Validations
	101073	CV01	_rcode^	Transaction ID	NN	6	001 - Value Cannot Be Null
	030010	CV02	_raction^	Action Code	NA	1	001 - Value Cannot Be Null 002 - Code Invalid - ACODE
	030760	CV03	rsnid^	RSN Report Unit	NN	3	001 - Value Cannot Be Null
K	030020	CV04	_rorg^	Agency Reporting Unit ID	NN	5	001 - Value Cannot Be Null 002 - Code Invalid - ORG
K	030001	CV05	_rlguid^	Unique Identifier	NN	11	001 - Value Cannot Be Null
	030620	CV06	pn^	Master Client Number	NN	11	001 - Value Cannot Be Null
	030470	RV01	epis	Episode ID	NN	5	001 - Value Cannot Be Null
	030490	RV02	epistype	Episode Type	NN	5	001 - Value Cannot Be Null 002 - Code Invalid - EPIS
	030480	RV03	adate	Episode Start Date	NA	8	001 - Value Cannot Be Null 020 - Date may not be in the future.
	030460	RV04	cdate	Episode End Date	LA	8	020 - Date may not be in the future.
	200272	RV05	faccd	Facility Code	NA	5	001 - Value Cannot Be Null 002 - Code Invalid - FACCD

**910.00 Transaction Notes**

- 6/11/2004 Changed 'Actions Allowed' for 'Episode Start Date' from 'NN' to 'NA'.
- 4/18/2005 Added RV05 - Facility Code

ID: 920.00 Description: Outpatient Episode Primary Clinician

Status: Final  
Status Date: 3/26/2004

Definition Table Codes

Receive: DPRCL Send: N/A

Usefile: RPRCL  
.VIS Name: RPRCL

Key	ID	Code	Name	Description	Field ID	Actions Allowed	Char. Length	Validations
	101073	CV01	_rcode^	Transaction ID		NN	6	001 - Value Cannot Be Null
	030010	CV02	_raction^	Action Code		NA	1	001 - Value Cannot Be Null 002 - Code Invalid - ACODE
	030760	CV03	rsnid^	RSN Report Unit		NN	3	001 - Value Cannot Be Null
K	030020	CV04	_rorg^	Agency Reporting Unit ID		NN	5	001 - Value Cannot Be Null 002 - Code Invalid - ORG
K	030001	CV05	_rlguid^	Unique Identifier		NN	11	001 - Value Cannot Be Null
	030620	CV06	pn^	Master Client Number		NN	11	001 - Value Cannot Be Null
	030470	RV01	epis	Episode ID		NN	5	001 - Value Cannot Be Null
	030490	RV02	epistype	Episode Type		NN	5	001 - Value Cannot Be Null 002 - Code Invalid - EPIS
	031070	RV03	edate01	Effective Date (1st)		NN	8	001 - Value Cannot Be Null 020 - Date may not be in the future.
	030690	RV04	clinpcode1	Primary Clinician (1st)		NN	5	001 - Value Cannot Be Null
	031080	RV05	edate02	Effective Date (2nd)		LA	8	020 - Date may not be in the future.
	031090	RV06	clinpcode2	Primary Clinician (2nd)		LA	5	
	031100	RV07	edate03	Effective Date (3rd)		LA	8	020 - Date may not be in the future.
	031110	RV08	clinpcode3	Primary Clinician (3rd)		LA	5	
	031120	RV09	edate04	Effective Date (4th)		LA	8	020 - Date may not be in the future.
	031130	RV10	clinpcode4	Primary Clinician (4th)		LA	5	
	031140	RV11	edate05	Effective Date (5th)		LA	8	020 - Date may not be in the future.
	031150	RV12	clinpcode5	Primary Clinician (5th)		LA	5	
	031160	RV13	edate06	Effective Date (6th)		LA	8	020 - Date may not be in the future.
	031170	RV14	clinpcode6	Primary Clinician (6th)		LA	5	
	031180	RV15	edate07	Effective Date (7th)		LA	8	020 - Date may not be in the future.
	031190	RV16	clinpcode7	Primary Clinician (7th)		LA	5	
	031200	RV17	edate08	Effective Date (8th)		LA	8	020 - Date may not be in the future.
	031210	RV18	clinpcode8	Primary Clinician (8th)		LA	5	
	031220	RV19	edate09	Effective Date (9th)		LA	8	020 - Date may not be in the future.
	031230	RV20	clinpcode9	Primary Clinician (9th)		LA	5	
	031240	RV21	edate10	Effective Date (10th)		LA	8	020 - Date may not be in the future.
	031250	RV22	clinpcde10	Primary Clinician (10th)		LA	5	

920.00 Transaction Notes

- This would be set up to store the history of up to 10 Primary Clinicians. Should it be necessary to add more than 10 Primary Clinicians, that could be added at a later time.
- There would only be a Primary Clinician Record for the matching Outpatient Episode ID when the Outpatient Episode Record is marked as Primary.
- Added additional fields to accommodate the 10 historical Primary Clinicians.

ID: 930.00 Description: 180-Day Review

Status: Final  
Status Date: 8/10/2006

Definition Table Codes

Receive: D180 Send: N/A

Usefile: R180  
.VIS Name: R180

Key	ID	Code	Name	Description	Actions Allowed	Char. Length	Validations
	101073	CV01	_rcode^	Transaction ID	NN	6	001 - Value Cannot Be Null
	030010	CV02	_raction^	Action Code	NA	1	001 - Value Cannot Be Null 002 - Code Invalid - ACODE
	030760	CV03	rsnid^	RSN Report Unit	NN	3	001 - Value Cannot Be Null
K	030020	CV04	_rorg^	Agency Reporting Unit ID	NN	5	001 - Value Cannot Be Null 002 - Code Invalid - ORG
K	030001	CV05	_rlguid^	Unique Identifier	NN	11	001 - Value Cannot Be Null
	030620	CV06	pn^	Master Client Number	NN	11	001 - Value Cannot Be Null
	200658	RV01	ddate	Due Date	NA	8	001 - Value Cannot Be Null
	200659	RV02	cdate	Completed Date	NA	8	001 - Value Cannot Be Null
	200660	RV03	nocomp	Number of Completed Reviews	NA	3	001 - Value Cannot Be Null
	200661	RV04	tpr5	Client's Condition Continues to Meet Continued...	LA	1,x	
	200662	RV05	tpr6	Treatment Plan Includes Discharge...	LA	1,x	
	200663	RV06	tpr7	Continued Service is Court Ordered by LRA/CR	LA	1,x	
	200664	RV07	tpr8	Continued Treatment is Deemed Medically...	LA	1,x	
	200665	RV08	tpr1	Client's Condition Continues to Meet Admission...	LA	1,x	
	200666	RV09	tpr2	Ending Episode of Care...Would Not Be...	LA	1,x	
	200667	RV10	tpr3	Continued Service is Court Ordered	LA	1,x	
	200668	RV11	tpr4	Client Has a History of Chronic MH Needs...	LA	1,x	
	200669	RV12	notes	180-Day Review Notes	LA	1024	

930.00 Transaction Notes

- A current and valid 180-day review is only current when it's age is 180-days or less. Any 180-day review whose age is greater than 180-days is expired and not current.

ID: 940.00 Description: Jail Episodes

Status: Final  
Status Date: 2/10/2006

Definition Table Codes

Receive: DEPIJ Send: 94000

Usefile: REPIJ  
.VIS Name: REPIJ

Key	ID	Code	Name	Field ID	Description	Actions Allowed	Char. Length	Validations
	101073	CV01	_rcode^		Transaction ID	NN	6	001 - Value Cannot Be Null
	030010	CV02	_raction^		Action Code	NA	1	001 - Value Cannot Be Null 002 - Code Invalid - ACODE
	030760	CV03	rsnid^		RSN Report Unit	NN	3	001 - Value Cannot Be Null
K	030020	CV04	_rorg^		Agency Reporting Unit ID	NN	5	001 - Value Cannot Be Null 002 - Code Invalid - ORG
K	030001	CV05	_rlguid^		Unique Identifier	NN	11	001 - Value Cannot Be Null
	030620	CV06	pn^		Master Client Number	NN	11	001 - Value Cannot Be Null
	030470	RV01	epis		Episode ID	NN	5	001 - Value Cannot Be Null
	030490	RV02	epistype		Episode Type	NN	5	001 - Value Cannot Be Null 002 - Code Invalid - EPIS
	030480	RV03	adate		Episode Start Date	NA	8	001 - Value Cannot Be Null 020 - Date may not be in the future.
	030460	RV04	cdate		Episode End Date	LA	8	
	200272	RV05	faccd		Facility Code	NA	5	001 - Value Cannot Be Null 002 - Code Invalid - FACCD
	200311	RV06	jailed		Jail Code	NA	2	001 - Value Cannot Be Null 002 - Code Invalid - JAIL
	200312	RV07	bookdt		Booking Date	NA	8	001 - Value Cannot Be Null 020 - Date may not be in the future.
	200313	RV08	exitdt		Release Date	LA	8	020 - Date may not be in the future.
	200314	RV09	rsnhist		RSN History Code	NA	1	001 - Value Cannot Be Null 002 - Code Invalid - RHIST
	200315	RV10	jailintk		Intake Completed in Jail Code	LA	1	002 - Code Invalid - JINTK
	200316	RV11	macij		Medicaid Application Completed Code	LA	1	002 - Code Invalid - JMAC

940.00 Transaction Notes

- 7/10/2007 20070701 - RSN -> MHD Send Definition uses the fields defined for the 060.01 transaction.

ID: 950.00 Description: Additional Authorization Information

Status: Final  
Status Date: 7/7/2006

Definition Table Codes

Receive: DADAU Send: N/A

Usefile: RADAU  
.VIS Name: RADAU

Key	ID	Code	Name	Description	Field ID	Actions Allowed	Char. Length	Validations
	101073	CV01	_rcode^	Transaction ID		NN	6	001 - Value Cannot Be Null
	030010	CV02	_raction^	Action Code		NN	1	001 - Value Cannot Be Null 002 - Code Invalid - ACODE
	030760	CV03	rsnid^	RSN Report Unit		NN	3	001 - Value Cannot Be Null
K	030020	CV04	_rorg^	Agency Reporting Unit ID		NN	5	001 - Value Cannot Be Null 002 - Code Invalid - ORG
K	030001	CV05	_rlguid^	Unique Identifier		NN	11	001 - Value Cannot Be Null
	030620	CV06	pn^	Master Client Number		NN	11	001 - Value Cannot Be Null
	200602	RV01	pgname	Parent/Guardian Name		LA	40	
	200604	RV02	iaidate	Intake Assessment Initiated Date		NA	8	001 - Value Cannot Be Null 020 - Date may not be in the future.
	200606	RV03	extreq	Extension Requested by		NA	1	001 - Value Cannot Be Null 002 - Code Invalid - AERB
	200607	RV04	reasdel	Documented Reason for Assessment Delay		LA	1024	
	200608	RV05	authtyp	Expedited Authorization Flag		LA	1	
	200609	RV06	level	Level		NA	2	001 - Value Cannot Be Null 002 - Code Invalid - LCARE
	200640	RV07	addlinfo	Add'l Information to Consider		LA	1024	
	200641	RV08	presprob	Client's Presenting Problem at Access		NA	1024	001 - Value Cannot Be Null
	200631	RV09	bqual1	High Risk Behavior Previous 90-days		LA	1	
	200632	RV10	bqual2	2+ I/P admits due to MH dx during prev. 2-yrs		LA	1	
	200633	RV11	bqual3	Psych. Res. Tx LOS>=6mos or D/C now from psych I/P		LA	1	
	200634	RV12	bqual4	Prior Public O/P MH Tx during prev. 90-days		LA	1	
	200635	RV13	bqual5	Child Only-At risk of escalating symptoms due...		LA	1	
	200636	RV14	bqual6	Child Age<6 - Atypical Behavioral Patterns...		LA	1	
	200637	RV15	bqual7	Child Age<6 - Atypical Emotional Response...		LA	1	
	200611	RV16	ax1pri	Diagnosis - Axis I - Primary		NA	6	001 - Value Cannot Be Null 002 - Code Invalid - AXIS1
	200612	RV17	ax1sec	Diagnosis - Axis I - Secondary		LA	6	002 - Code Invalid - AXIS1
	200613	RV18	ax1ter	Diagnosis - Axis I - Tertiary		LA	6	002 - Code Invalid - AXIS1
	200614	RV19	ax2pri	Diagnosis - Axis II - Primary		NA	6	001 - Value Cannot Be Null 002 - Code Invalid - AXIS2
	200615	RV20	ax2sec	Diagnosis - Axis II - Secondary		LA	6	002 - Code Invalid - AXIS2
	200616	RV21	ax2ter	Diagnosis - Axis II - Tertiary		LA	6	002 - Code Invalid - AXIS2
	200617	RV22	ax3	Diagnosis - Axis III		LA	1024	
	200618	RV23	ax4pri	Diagnosis - Axis IV - Primary		LA	1	002 - Code Invalid - AXIS4
	200619	RV24	ax4sec	Diagnosis - Axis IV - Secondary		LA	1	002 - Code Invalid - AXIS4
	200620	RV25	ax4ter	Diagnosis - Axis IV - Tertiary		LA	1	002 - Code Invalid - AXIS4
	200621	RV26	ax5	Diagnosis - Axis V		NA	3	001 - Value Cannot Be Null 901 - Numeric range 0 to 100

950.00 Transaction Notes

- See the NSMHA Clinical Eligibility and Care Standards for non-abbreviated additional criteria for Diagnosis B.
- Intake Assessment Initiated Date - This value is populated based off the first intake assessment service provided at the agency. For those clients where the original assessment date is not in the Provider CIS, use the date of the last re-auth.
- Expedited Authorization - determined at Access and entered into the I.S. by Access.
- Primary Diagnosis Rule-Outs: When the primary diagnosis is a rule-out, the first seven (7) characters in RADAU:addlinfo will be 'ruleout' sans quotes.
- B-Diagnosis qualifiers are not required on re-authorizations. An authorization request is considered a re-authorization when the value of RAUTR:certytp = 'R'.

ID: 960.00 Description: Authorization Request

Status: Final  
Status Date: 7/7/2006

Definition Table Codes

Receive: DAUTR Send: 96000

Usefile: RAUTR  
.VIS Name: RAUTR

Key	ID	Code	Name	Description	Actions Allowed	Char. Length	Validations
	101073	CV01	_rcode^	Transaction ID	NN	6	001 - Value Cannot Be Null
	030010	CV02	_raction^	Action Code	NN	1	001 - Value Cannot Be Null 002 - Code Invalid - ACODE
	030760	CV03	rsnid^	RSN Report Unit	NN	3	001 - Value Cannot Be Null
K	030020	CV04	_rorg^	Agency Reporting Unit ID	NN	5	001 - Value Cannot Be Null 002 - Code Invalid - ORG
K	030001	CV05	_rlguid^	Unique Identifier	NN	11	001 - Value Cannot Be Null
	030620	CV06	pn^	Master Client Number	NN	11	001 - Value Cannot Be Null
	200627	RV01	intkstf	Assessment Clinician Name (LName, FName)	NA	70	001 - Value Cannot Be Null
	200622	RV02	sitest	Main Site Address Line 2	NA	40	001 - Value Cannot Be Null
	200625	RV03	sitcity	Main Site City	NA	20	001 - Value Cannot Be Null
	200626	RV04	sitezip	Main Site ZIP Code	NA	10	001 - Value Cannot Be Null
	200623	RV05	sitetel	Main Site Telephone Number	NA	20	001 - Value Cannot Be Null
	200624	RV06	sitifax	Intake Staff Site Fax Number	NA	20	001 - Value Cannot Be Null
	200643	RV07	autdt	Date of Authorization Request	NA	8	001 - Value Cannot Be Null 020 - Date may not be in the future.
	200644	RV08	auttm	Time of Authorization Request	NA	4	001 - Value Cannot Be Null
	200657	RV09	staffnpi	Staff National Provider Identification	NA	80	001 - Value Cannot Be Null
	200272	RV10	faccd	Assessment Facility Code	NA	5	001 - Value Cannot Be Null 002 - Code Invalid - FACCD
	200645	RV11	orgein	Organization Employer Identification Number	NA	10	001 - Value Cannot Be Null
	030710	RV12	princedia	Principal Diagnosis	NA	6	001 - Value Cannot Be Null 002 - Code Invalid - DIAG
	200646	RV13	diagdt	Diagnosis Date	NA	8	001 - Value Cannot Be Null 020 - Date may not be in the future.
	200647	RV14	adlguid	GUID of Additional Authorization Request Info.	NA	11	001 - Value Cannot Be Null
	200648	RV15	idqual	Subscriber Supplemental ID-Reference ID Qualifier	NA	2	001 - Value Cannot Be Null
	200649	RV16	id	Subscriber Supplemental ID-Reference ID	NA	14	001 - Value Cannot Be Null
	200650	RV17	orgnpi	Organization National Provider Identification	NA	80	001 - Value Cannot Be Null
	200651	RV18	certtyp	Certification Type Code (Authorization)	NA	1	001 - Value Cannot Be Null 002 - Code Invalid - CERTY
	200652	RV19	svctyp	Service Type Code	NA	2	001 - Value Cannot Be Null 002 - Code Invalid - SVCTY
	030750	RV20	roicd	Release of Information Code	NA	1	001 - Value Cannot Be Null 002 - Code Invalid - ROI
	200654	RV21	prioraut	Previous Authorization Number	LA		
	200655	RV22	sautper	Proposed Start of Authorization Period	NA	8	001 - Value Cannot Be Null
	200656	RV23	eutper	Proposed End of Authorization Period	NA	8	001 - Value Cannot Be Null
	200670	RV24	staffid	Reviewd By			
	200671	RV25	reviewtime	Timestamp of the Authorization Review			
	200672	RV26	acted	Review Action Code			002 - Code Invalid - HCRAC
	200673	RV27	rejected	Reject Reason			002 - Code Invalid - REJEC
	200674	RV28	asauth	Assigned Authorization Number			
	200675	RV29	apprstdt	Approved Start Date			
	200676	RV30	apprenddt	Approved End Date			

960.00 Transaction Notes

- Items from this table come from the HIPAA 278 transaction
- Certification Type Code - Most likely codes used and when:  
R - Renewal-Reauth of current auth;  
I - Initial-Where there is not a current authorization being renewed;  
S - Revised-When there is a change in level;  
4 - Extension-May need for complaint / grievance / appeal.
- 12/11/2006 Field IDs 200670 through 200676 are not included in the incoming authorization request transaction. These fields are part of the authorization process and data is input into these fields when they Quality Specialists do their review of the authorization request. These fields are listed here for table documentation purposes only.
- 7/10/2007 20070701 - RSN -> MHD Send definition uses the fields defined for the 063.01 transaction.

## Documentation Notes:

The pages that follow contain some of the documentation related to the NSMHA Consumer Information System. Many of the transactions listed herein mimic the elements contained in the respective table. The exceptions being the Batch Header, E&T Inpatient Services, Inpatient Authorizations, and Outpatient Services; the latter three of which utilize the 837 HIPAA transactions.

It is understood that, although some transactions are listed with a Status of Final, there may be modifications that are necessary as a result of testing.

Some transactions are Global Records. These transactions are identified in the Transaction Notes section as such.

---

Effective 01 April 2005:

Email notification will be of auto processing failures only. We will be taking an increased proactive role in confirming the file process to aid in triggering support issues that could be resolved without third party impact.

Expectation for the file return is within 24-hours of file processing. If a file is scheduled to process at 10:00 a.m., then the return file will be available for pick up at 10:00 a.m. the next business day unless notified of an issue.

The copy process that had occurred every 10-minutes will be change to once per day at 9:30 a.m. It is recommended that files be placed in the SFTP directory well before the '9:30 a.m. copy time' to avoid incomplete file transfers.

---

Dates:

As a general rule, any date submitted, except as noted below, shall not be in the future. The following fields will accept dates in the future:

rstco.tdate

This is to be the date in which the consumers eligibility ends per their Medicaid coupon.

Rauth.optdate^

This is the end date for the consumers outpatient authorization period. This is a calculated field.

If a consumer's authorization is terminated early, the early termination date is captured in a separate field.

Rfore.foaptd

The first offered and accepted appointment date may be in the future from when the transaction is processed.

---

Clients who do not engage in services:

Data that has been collected for clients who have not engaged in services is not to be reported to NSMHA.

---

Actions Allowed:

Code - Description

NN - Add Now, Modify Not Allowed

NA - Add Now, Modify Allowed

LA - Add Later, Modify Allowed

LN - Add Later, Modify Not Allowed

---